

AIR PRESSURE

TABLE

TWO TYPES OF RIMS



HOOKE



HOOKESS

MAXIMUM PRESSURE FOR HOOKESS: 5 BAR.

CONVERSION TABLE BAR-PSI

| | | | | | | | | | | |
|------------|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|
| BAR | 0.5 | 1 | 1.5 | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 |
| PSI | 7 | 15 | 22 | 29 | 36 | 44 | 51 | 58 | 65 | 73 |
| BAR | 5.5 | 6 | 6.5 | 7 | 7.5 | 8 | 8.5 | 9 | 9.5 | 10 |
| PSI | 80 | 87 | 94 | 102 | 109 | 116 | 123 | 131 | 138 | 145 |



TSS = TUBELESS PRESSURES
TC = TUBE PRESSURES

GRAVEL CX

| Dim. (ETRTO) | Mounting rim ETRTO (Min. - Max.) ¹ | PMax ² nominal rim | | | | PMax ² max. rim | | | | POptimum ³ TC - nominal rim | | | | | | | | POptimum ³ TC - max. rim | | | | | | | | | | | | | | | | | | | |
|--------------|---|-------------------------------|--------|----------------|--------|----------------------------|--------|----------------|--------|--|---------|---------|---------|---------|----------|-------|------|-------------------------------------|---------|---------|---------|----------|-------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| | | TC (hooked) | | TSS (hookless) | | TC (hooked) | | TSS (hookless) | | Cyclist weight (kg) | | | | | | | | Cyclist weight (kg) | | | | | | | | | | | | | | | | | | | |
| | | b | P.S.I. | b | P.S.I. | b | P.S.I. | b | P.S.I. | < 50 | 51 > 60 | 61 > 70 | 71 > 80 | 81 > 90 | 91 > 100 | > 100 | < 50 | 51 > 60 | 61 > 70 | 71 > 80 | 81 > 90 | 91 > 100 | > 100 | | | | | | | | | | | | | | |
| 33-622 | 21 (16-25) | 5 | 73 | 4.5 | 65 | 4.2 | 61 | 3.7 | 54 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 |
| 35-622 | 23 (17-27) | 5 | 73 | 4 | 58 | 4.2 | 61 | 3.2 | 46 | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 3.0 | 44 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 |
| 40-622 | 23 (17-27) | 4.5 | 65 | 3.5 | 51 | 3.7 | 54 | 2.7 | 39 | 2.3 | 34 | 2.5 | 36 | 2.7 | 39 | 2.8 | 41 | 3.0 | 43 | 3.1 | 46 | 3.3 | 48 | 2.0 | 30 | 2.2 | 32 | 2.4 | 34 | 2.5 | 37 | 2.7 | 39 | 2.8 | 41 | 3.0 | 44 |
| 47-622 | 25 (17-30) | 4 | 58 | 3 | 44 | 3.2 | 46 | 2.2 | 32 | 1.6 | 23 | 1.8 | 25 | 1.9 | 28 | 2.1 | 30 | 2.3 | 33 | 2.4 | 35 | 2.6 | 38 | 1.4 | 20 | 1.6 | 22 | 1.7 | 25 | 1.9 | 27 | 2.1 | 30 | 2.2 | 32 | 2.4 | 35 |
| 57-622 | 25 (17-30) | 3.5 | 51 | 2.5 | 36 | 2.7 | 39 | 1.7 | 25 | 1.5 | 22 | 1.6 | 23 | 1.7 | 24 | 1.8 | 26 | 1.8 | 27 | 1.9 | 28 | 2.0 | 29 | 1.4 | 21 | 1.5 | 22 | 1.6 | 23 | 1.7 | 24 | 1.7 | 25 | 1.8 | 26 | 1.9 | 28 |
| 50-584 | 25 (17-30) | 4 | 58 | 3 | 44 | 3.2 | 46 | 2.2 | 32 | 2.1 | 31 | 2.2 | 32 | 2.3 | 33 | 2.3 | 34 | 2.4 | 35 | 2.4 | 35 | 2.5 | 36 | 1.9 | 28 | 2.0 | 29 | 2.1 | 30 | 2.1 | 31 | 2.2 | 32 | 2.2 | 32 | 2.3 | 33 |

POWER ADVENTURE

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 30-622 | 21 (16-25) | 5 | 73 | 4.5 | 65 | 4.2 | 61 | 3.7 | 54 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 |
| 36-622 | 23 (17-27) | 5 | 73 | 4 | 58 | 4.2 | 61 | 3.2 | 46 | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 3.0 | 44 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 |
| 42-622 | 23 (17-27) | 4.5 | 65 | 3.5 | 51 | 3.7 | 54 | 2.7 | 39 | 2.8 | 41 | 2.9 | 42 | 3.0 | 43 | 3.1 | 44 | 3.1 | 46 | 3.2 | 47 | 3.3 | 48 | 2.5 | 37 | 2.6 | 38 | 2.7 | 39 | 2.8 | 40 | 2.8 | 41 | 2.9 | 42 | 3.0 | 44 |
| 48-622 | 25 (17-30) | 4 | 58 | 3 | 44 | 3.2 | 46 | 2.2 | 32 | 2.3 | 33 | 2.4 | 34 | 2.4 | 35 | 2.5 | 36 | 2.5 | 36 | 2.6 | 37 | 2.6 | 38 | 2.1 | 30 | 2.2 | 31 | 2.2 | 32 | 2.3 | 33 | 2.3 | 33 | 2.4 | 34 | 2.4 | 35 |
| 48-584 | 25 (17-30) | 4 | 58 | 3 | 44 | 3.2 | 46 | 2.2 | 32 | 2.3 | 33 | 2.4 | 34 | 2.4 | 35 | 2.5 | 36 | 2.5 | 36 | 2.6 | 37 | 2.6 | 38 | 2.1 | 30 | 2.2 | 31 | 2.2 | 32 | 2.3 | 33 | 2.3 | 33 | 2.4 | 34 | 2.4 | 35 |

POWER CYCLOCROSS JET & MUD

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 33-622 | 21 (16-25) | 5.5 | 80 | 4.5 | 65 | 4.7 | 68 | 3.7 | 54 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 |
|--------|------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|

| Dim. (ETRTO) | Mounting rim ETRTO (Min. - Max.) ¹ | POptimum ³ TSS - nominal rim | | | | | | | | POptimum ³ TSS - max. rim | | | | | | | |
|--------------|---|---|---------|---------|---------|---------|----------|-------|------|--------------------------------------|---------|---------|---------|----------|-------|--|--|
| | | Cyclist weight (kg) | | | | | | | | Cyclist weight (kg) | | | | | | | |
| | | < 50 | 51 > 60 | 61 > 70 | 71 > 80 | 81 > 90 | 91 > 100 | > 100 | < 50 | 51 > 60 | 61 > 70 | 71 > 80 | 81 > 90 | 91 > 100 | > 100 | | |

POWER GRAVEL

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 33-622 | 21 (16-25) | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 |
| 35-622 | 23 (17-27) | 2.8 | 41 | 2.9 | 42 | 3.0 | 44 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 2.4 | 35 | 2.5 | 36 | 2.6 | 38 | 2.7 | 39 | 2.8 | 41 | 2.9 | 42 | 3.0 | 44 |
| 40-622 | 23 (17-27) | 2.3 | 34 | 2.4 | 35 | 2.5 | 36 | 2.6 | 37 | 2.6 | 38 | 2.7 | 39 | 2.8 | 41 | 2.0 | 29 | 2.1 | 30 | 2.2 | 32 | 2.3 | 33 | 2.3 | 34 | 2.4 | 35 | 2.5 | 36 |
| 47-622 | 25 (17-30) | 1.9 | 28 | 2.0 | 28 | 2.0 | 29 | 2.1 | 30 | 2.1 | 30 | 2.2 | 31 | 2.2 | 32 | 1.7 | 25 | 1.8 | 25 | 1.8 | 26 | 1.9 | 27 | 1.9 | 28 | 2.0 | 28 | 2.0 | 29 |
| 57-622 | 25 (17-30) | 1.4 | 21 | 1.5 | 21 | 1.5 | 21 | 1.5 | 22 | 1.5 | 22 | 1.6 | 23 | 1.6 | 23 | 1.3 | 19 | 1.4 | 20 | 1.4 | 20 | 1.4 | 20 | 1.4 | 21 | 1.5 | 21 | 1.5 | 22 |
| 50-584 | 25 (17-30) | 1.8 | 26 | 1.9 | 27 | 1.9 | 28 | 2.0 | 28 | 2.0 | 29 | 2.1 | 30 | 2.1 | 30 | 1.6 | 23 | 1.7 | 24 | 1.7 | 25 | 1.8 | 25 | 1.8 | 26 | 1.9 | 27 | 1.9 | 28 |

POWER ADVENTURE

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 30-622 | 21 (16-25) | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 |
| 36-622 | 23 (17-27) | 2.8 | 41 | 2.9 | 42 | 3.0 | 44 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 2.4 | 35 | 2.5 | 36 | 2.6 | 38 | 2.7 | 39 | 2.8 | 41 | 2.9 | 42 | 3.0 | 44 |
| 42-622 | 23 (17-27) | 2.3 | 34 | 2.4 | 35 | 2.5 | 36 | 2.6 | 37 | 2.6 | 38 | 2.7 | 39 | 2.8 | 41 | 2.0 | 29 | 2.1 | 30 | 2.2 | 32 | 2.3 | 33 | 2.3 | 34 | 2.4 | 35 | 2.5 | 36 |
| 48-622 | 25 (17-30) | 1.9 | 28 | 2.0 | 28 | 2.0 | 29 | 2.1 | 30 | 2.1 | 30 | 2.2 | 31 | 2.2 | 32 | 1.7 | 25 | 1.8 | 25 | 1.8 | 26 | 1.9 | 27 | 1.9 | 28 | 2.0 | 28 | 2.0 | 29 |
| 48-584 | 25 (17-30) | 1.7 | 25 | 1.8 | 26 | 1.9 | 27 | 2.0 | 28 | 2.0 | 30 | 2.1 | 31 | 2.2 | 32 | 1.5 | 22 | 1.6 | 23 | 1.7 | 24 | 1.8 | 26 | 1.8 | 27 | 1.9 | 28 | 2.0 | 29 |

POWER CYCLOCROSS JET & MUD

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 33-622 | 21 (16-25) | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 |
|--------|------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|

1. Results show nominal mounting rim and min.-max. in between brackets
 2. PMax stands for the maximum safety pressure, not to be overtaken depending on rim width
 PMax FOR TUBELESS READY AND TUBE TYPE USAGES IS IDENTICAL.
 3. POptimum stands for the best pressure to maximise tyre performance compromise. This pressure may be adapted depending on rider's preference, favorite terrains, bicycle setups including loads carrying and eBike specificities, etc.
 FOR TUBE TYPE USAGE WITH AN INNER TUBE, ADD 0.2b TO THE RECOMMENDED PRESSURE LISTED ABOVE (WITH RESPECT OF TYRE Pmax WRITTEN ON TYRE).



TSS = TUBELESS PRESSURES
TC = TUBE PRESSURES

ROAD TT

| Dim. (ETRTO) | Mounting rim ETRTO (Min. - Max.) ¹ | PMax ² nominal rim | | PMax ² max. rim | | POptimum ³ TC - nominal rim | | | | | | | | POptimum ³ TC - max. rim | | | | | | | |
|--------------|---|-------------------------------|----------------|----------------------------|----------------|--|---------|---------|---------|---------|----------|-------|------|-------------------------------------|---------|---------|---------|----------|-------|--|--|
| | | TC (hooked) | TSS (hookless) | TC (hooked) | TSS (hookless) | Cyclist weight (kg) | | | | | | | | Cyclist weight (kg) | | | | | | | |
| | | b P.S.I. | b P.S.I. | b P.S.I. | b P.S.I. | < 50 | 51 > 60 | 61 > 70 | 71 > 80 | 81 > 90 | 91 > 100 | > 100 | < 50 | 51 > 60 | 61 > 70 | 71 > 80 | 81 > 90 | 91 > 100 | > 100 | | |

POWER TIME TRIAL

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|------------|-----|-----|--------------------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 23-622 | 17 (13-20) | 8.0 | 116 | NOT TSS COMPATIBLE | 7.4 | 107 | NOT TSS COMPATIBLE | 7.1 | 103 | 7.3 | 105 | 7.4 | 107 | 7.6 | 110 | 7.7 | 112 | 7.9 | 114 | 8.0 | 116 | 6.8 | 99 | 6.9 | 100 | 7.0 | 102 | 7.1 | 103 | 7.2 | 104 | 7.3 | 106 | 7.4 | 107 |
| 25-622 | 19 (13-22) | 7.5 | 109 | NOT TSS COMPATIBLE | 6.9 | 100 | NOT TSS COMPATIBLE | 6.3 | 91 | 6.5 | 94 | 6.7 | 97 | 6.9 | 100 | 7.1 | 103 | 7.3 | 106 | 7.5 | 109 | 6.3 | 91 | 6.4 | 93 | 6.5 | 94 | 6.6 | 96 | 6.7 | 97 | 6.8 | 99 | 6.9 | 100 |

POWER ALL SEASON

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|------------|-----|-----|--------------------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 23-622 | 17 (13-20) | 8.0 | 116 | NOT TSS COMPATIBLE | 7.4 | 107 | NOT TSS COMPATIBLE | 7.1 | 103 | 7.3 | 105 | 7.4 | 107 | 7.6 | 110 | 7.7 | 112 | 7.9 | 114 | 8.0 | 116 | 6.8 | 99 | 6.9 | 100 | 7.0 | 102 | 7.1 | 103 | 7.2 | 104 | 7.3 | 106 | 7.4 | 107 |
| 25-622 | 19 (13-22) | 7.5 | 109 | NOT TSS COMPATIBLE | 6.9 | 100 | NOT TSS COMPATIBLE | 6.3 | 91 | 6.5 | 94 | 6.7 | 97 | 6.9 | 100 | 7.1 | 103 | 7.3 | 106 | 7.5 | 109 | 6.3 | 91 | 6.4 | 93 | 6.5 | 94 | 6.6 | 96 | 6.7 | 97 | 6.8 | 99 | 6.9 | 100 |
| 28-622 | 19 (15-23) | 6.0 | 87 | NOT TSS COMPATIBLE | 5.2 | 75 | NOT TSS COMPATIBLE | 5.1 | 74 | 5.3 | 76 | 5.4 | 78 | 5.6 | 80 | 5.7 | 83 | 5.9 | 85 | 6.0 | 87 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 | 5.2 | 75 |

POWER CUP (TUBETYPE)

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|------------|-----|-----|--------------------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 23-622 | 17 (13-20) | 8.0 | 116 | NOT TSS COMPATIBLE | 7.4 | 107 | NOT TSS COMPATIBLE | 7.1 | 103 | 7.3 | 105 | 7.4 | 107 | 7.6 | 110 | 7.7 | 112 | 7.9 | 114 | 8.0 | 116 | 6.8 | 99 | 6.9 | 100 | 7.0 | 102 | 7.1 | 103 | 7.2 | 104 | 7.3 | 106 | 7.4 | 107 |
| 25-622 | 19 (13-22) | 7.5 | 109 | NOT TSS COMPATIBLE | 6.9 | 100 | NOT TSS COMPATIBLE | 6.3 | 91 | 6.5 | 94 | 6.7 | 97 | 6.9 | 100 | 7.1 | 103 | 7.3 | 106 | 7.5 | 109 | 6.3 | 91 | 6.4 | 93 | 6.5 | 94 | 6.6 | 96 | 6.7 | 97 | 6.8 | 99 | 6.9 | 100 |
| 28-622 | 19 (15-23) | 6.0 | 87 | NOT TSS COMPATIBLE | 5.2 | 75 | NOT TSS COMPATIBLE | 5.1 | 74 | 5.3 | 76 | 5.4 | 78 | 5.6 | 80 | 5.7 | 83 | 5.9 | 85 | 6.0 | 87 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 | 5.2 | 75 |

PRO3

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|------------|-----|-----|--------------------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 23-622 | 17 (13-20) | 8.0 | 116 | NOT TSS COMPATIBLE | 7.4 | 107 | NOT TSS COMPATIBLE | 7.1 | 103 | 7.3 | 105 | 7.4 | 107 | 7.6 | 110 | 7.7 | 112 | 7.9 | 114 | 8.0 | 116 | 6.8 | 99 | 6.9 | 100 | 7.0 | 102 | 7.1 | 103 | 7.2 | 104 | 7.3 | 106 | 7.4 | 107 |
| 25-622 | 19 (13-22) | 7.5 | 109 | NOT TSS COMPATIBLE | 6.9 | 100 | NOT TSS COMPATIBLE | 6.3 | 91 | 6.5 | 94 | 6.7 | 97 | 6.9 | 100 | 7.1 | 103 | 7.3 | 106 | 7.5 | 109 | 6.3 | 91 | 6.4 | 93 | 6.5 | 94 | 6.6 | 96 | 6.7 | 97 | 6.8 | 99 | 6.9 | 100 |

PRO4

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|------------|-----|-----|--------------------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 23-622 | 17 (13-20) | 8.0 | 116 | NOT TSS COMPATIBLE | 7.4 | 107 | NOT TSS COMPATIBLE | 7.1 | 103 | 7.3 | 105 | 7.4 | 107 | 7.6 | 110 | 7.7 | 112 | 7.9 | 114 | 8.0 | 116 | 6.8 | 99 | 6.9 | 100 | 7.0 | 102 | 7.1 | 103 | 7.2 | 104 | 7.3 | 106 | 7.4 | 107 |
| 25-622 | 19 (13-22) | 7.5 | 109 | NOT TSS COMPATIBLE | 6.9 | 100 | NOT TSS COMPATIBLE | 6.3 | 91 | 6.5 | 94 | 6.7 | 97 | 6.9 | 100 | 7.1 | 103 | 7.3 | 106 | 7.5 | 109 | 6.3 | 91 | 6.4 | 93 | 6.5 | 94 | 6.6 | 96 | 6.7 | 97 | 6.8 | 99 | 6.9 | 100 |

PRO4 ENDURANCE

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|------------|-----|-----|--------------------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 23-622 | 17 (13-20) | 8.0 | 116 | NOT TSS COMPATIBLE | 7.4 | 107 | NOT TSS COMPATIBLE | 7.1 | 103 | 7.3 | 105 | 7.4 | 107 | 7.6 | 110 | 7.7 | 112 | 7.9 | 114 | 8.0 | 116 | 6.8 | 99 | 6.9 | 100 | 7.0 | 102 | 7.1 | 103 | 7.2 | 104 | 7.3 | 106 | 7.4 | 107 |
| 25-622 | 19 (13-22) | 7.5 | 109 | NOT TSS COMPATIBLE | 6.9 | 100 | NOT TSS COMPATIBLE | 6.3 | 91 | 6.5 | 94 | 6.7 | 97 | 6.9 | 100 | 7.1 | 103 | 7.3 | 106 | 7.5 | 109 | 6.3 | 91 | 6.4 | 93 | 6.5 | 94 | 6.6 | 96 | 6.7 | 97 | 6.8 | 99 | 6.9 | 100 |
| 28-622 | 19 (15-23) | 6.0 | 87 | NOT TSS COMPATIBLE | 5.2 | 75 | NOT TSS COMPATIBLE | 5.1 | 74 | 5.3 | 76 | 5.4 | 78 | 5.6 | 80 | 5.7 | 83 | 5.9 | 85 | 6.0 | 87 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 | 5.2 | 75 |

LITHION.2 REINFORCED LITHION.3

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|------------|-----|-----|--------------------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 23-622 | 17 (13-20) | 8.0 | 116 | NOT TSS COMPATIBLE | 7.4 | 107 | NOT TSS COMPATIBLE | 7.1 | 103 | 7.3 | 105 | 7.4 | 107 | 7.6 | 110 | 7.7 | 112 | 7.9 | 114 | 8.0 | 116 | 6.8 | 99 | 6.9 | 100 | 7.0 | 102 | 7.1 | 103 | 7.2 | 104 | 7.3 | 106 | 7.4 | 107 |
| 25-622 | 19 (13-22) | 7.5 | 109 | NOT TSS COMPATIBLE | 6.9 | 100 | NOT TSS COMPATIBLE | 6.3 | 91 | 6.5 | 94 | 6.7 | 97 | 6.9 | 100 | 7.1 | 103 | 7.3 | 106 | 7.5 | 109 | 6.3 | 91 | 6.4 | 93 | 6.5 | 94 | 6.6 | 96 | 6.7 | 97 | 6.8 | 99 | 6.9 | 100 |

LITHION 4

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|------------|-----|-----|--------------------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 23-622 | 17 (13-20) | 8.0 | 116 | NOT TSS COMPATIBLE | 7.4 | 107 | NOT TSS COMPATIBLE | 7.1 | 103 | 7.3 | 105 | 7.4 | 107 | 7.6 | 110 | 7.7 | 112 | 7.9 | 114 | 8.0 | 116 | 6.8 | 99 | 6.9 | 100 | 7.0 | 102 | 7.1 | 103 | 7.2 | 104 | 7.3 | 106 | 7.4 | 107 |
| 25-622 | 19 (13-22) | 7.5 | 109 | NOT TSS COMPATIBLE | 6.9 | 100 | NOT TSS COMPATIBLE | 6.3 | 91 | 6.5 | 94 | 6.7 | 97 | 6.9 | 100 | 7.1 | 103 | 7.3 | 106 | 7.5 | 109 | 6.3 | 91 | 6.4 | 93 | 6.5 | 94 | 6.6 | 96 | 6.7 | 97 | 6.8 | 99 | 6.9 | 100 |
| 28-622 | 19 (15-23) | 6.0 | 87 | NOT TSS COMPATIBLE | 5.2 | 75 | NOT TSS COMPATIBLE | 5.1 | 74 | 5.3 | 76 | 5.4 | 78 | 5.6 | 80 | 5.7 | 83 | 5.9 | 85 | 6.0 | 87 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 | 5.2 | 75 |
| 30-622 | 21 (16-25) | 5.0 | 73 | NOT TSS COMPATIBLE | 4.2 | 61 | NOT TSS COMPATIBLE | 4.1 | 59 | 4.2 | 62 | 4.4 | 64 | 4.6 | 66 | 4.7 | 68 | 4.9 | 70 | 5.0 | 73 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 |
| 32-622 | 21 (16-25) | 5.0 | 73 | NOT TSS COMPATIBLE | 4.2 | 61 | NOT TSS COMPATIBLE | 3.8 | 55 | 4.0 | 58 | 4.2 | 61 | 4.4 | 64 | 4.6 | 67 | 4.8 | 70 | 5 | 73 | 3.3 | 48 | 3.5 | 50 | 3.6 | 52 | 3.8 | 54 | 3.9 | 57 | 4.1 | 59 | 4.2 | 61 |

DYNAMIC CLASSIC

DYNAMIC SPORT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|------------|-----|-----|--------------------|-----|-----|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 20-622 | 15 (13-17) | 8 | 116 | NOT TSS COMPATIBLE | 7.6 | 110 | NOT TSS COMPATIBLE | 7.1 | 103 | 7.3 | 105 | 7.4 | 107 | 7.6 | 110 | 7.7 | 112 | 7.9 | 114 | 8.0 | 116 | 7.0 | 102 | 7.1 | 103 | 7.2 | 104 | 7.3 | 106 | 7.4 | 107 | 7.5 | 109 | 7.6 | 110 |
| 23-622 | 17 (13-20) | 8.0 | 116 | NOT TSS COMPATIBLE | 7.4 | 107 | NOT TSS COMPATIBLE | 7.1 | 103 | 7.3 | 105 | 7.4 | 107 | 7.6 | 110 | 7.7 | 112 | 7.9 | 114 | 8.0 | 116 | 6.8 | 99 | 6.9 | 100 | 7.0 | 102 | 7.1 | 103 | 7.2 | 104 | 7.3 | 106 | 7.4 | 107 |
| 25-622 | 19 (13-22) | 7.5 | 109 | NOT TSS COMPATIBLE | 6.9 | 100 | NOT TSS COMPATIBLE | 6.3 | 91 | 6.5 | 94 | 6.7 | 97 | 6.9 | 100 | 7.1 | 103 | 7.3 | 106 | 7.5 | 109 | 6.3 | 91 | 6.4 | 93 | 6.5 | 94 | 6.6 | 96 | 6.7 | 97 | 6.8 | 99 | 6.9 | 100 |
| 28-622 | 19 (15-23) | 6.0 | 87 | NOT TSS COMPATIBLE | 5.2 | 75 | NOT TSS COMPATIBLE | 5.1 | 74 | 5.3 | 76 | 5.4 | 78 | 5.6 | 80 | 5.7 | 83 | 5.9 | 85 | 6.0 | 87 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 | 5.2 | 75 |
| 32-622 | 21 (16-25) | 5.0 | 73 | NOT TSS COMPATIBLE | 4.2 | 61 | NOT TSS COMPATIBLE | 3.8 | 55 | 4.0 | 58 | 4.2 | 61 | 4.4 | 64 | 4.6 | 67 | 4.8 | 70 | 5 | 73 | 3.3 | 48 | 3.5 | 50 | 3.6 | 52 | 3.8 | 54 | 3.9 | 57 | 4.1 | 59 | 4.2 | 61 |

ROAD CX TUBULAR

| Dimension (ETRTO) | Mounting rim ETRTO (Min. - Max.) ¹ | PMax ² nominal rim | | POptimum ³ Tubular rim - nominal rim | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|---|-------------------------------|--------|---|---------|---------|---------|---------|----------|-------|---|--------|---|--------|---|--------|---|--------|---|--------|---|--------|---|--------|---|--------|---|--------|---|--------|---|--------|
| | | Tubular rim b | P.S.I. | Cyclist weight (kg) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | b | P.S.I. | < 50 | 51 > 60 | 61 > 70 | 71 > 80 | 81 > 90 | 91 > 100 | > 100 | b | P.S.I. | b | P.S.I. | b | P.S.I. | b | P.S.I. | b | P.S.I. | b | P.S.I. | b | P.S.I. | b | P.S.I. | b | P.S.I. | b | P.S.I. | b | P.S.I. |

POWER CUP TUBULAR

| | | | | | | | | | | | | | | | | | |
|--------|---------------|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 28»-23 | (19.5 - 25.5) | 9 | 131 | 7.8 | 113 | 8 | 116 | 8.2 | 119 | 8.4 | 122 | 8.6 | 125 | 8.8 | 128 | 9 | 131 |
| 28»-25 | (19.5 - 25.5) | 9 | 131 | 7.8 | 113 | 8 | 116 | 8.2 | 119 | 8.4 | 122 | 8.6 | 125 | 8.8 | 128 | 9 | 131 |
| 28»-28 | (21.5 - 25.5) | 9 | 131 | 7.3 | 106 | 7.5 | 109 | 7.7 | 112 | 7.9 | 115 | 8.1 | 117 | 8.3 | 120 | 8.5 | 123 |

POWER CYCLOCROSS MUD & JET TUBULAR

| | | | | | | | | | | | | | | | | | |
|--------|---------------|---|----|-----|----|---|----|-----|----|-----|----|-----|----|-----|----|---|----|
| 33-622 | (21.5 - 25.5) | 9 | 73 | 1.8 | 26 | 2 | 29 | 2.2 | 32 | 2.4 | 35 | 2.6 | 38 | 2.8 | 41 | 3 | 44 |
|--------|---------------|---|----|-----|----|---|----|-----|----|-----|----|-----|----|-----|----|---|----|

1. Results show nominal mounting rim and min.-max. in between brackets
2. PMax stands for the maximum safety pressure, not to be overtaken depending on rim width
PMax FOR TUBELESS READY AND TUBETYPE USAGES IS IDENTICAL.
3. POptimum stands for the best pressure to maximise tyre performance compromise. This pressure may be adapted depending on rider's preference, favorite terrains, bicycle setups including loads carrying and eBike specifications, etc.
FOR TUBETYPE USAGE WITH AN INNER TUBE, ADD 0.2b TO THE RECOMMENDED PRESSURE LISTED ABOVE (WITH RESPECT OF TYRE PMAX WRITTEN ON TYRE).



AIR PRESSURE

TABLE

MOUNTAIN BIKE TYRE

| | DIMENSION (ETRTO & INCH) | CYCLIST WEIGHT (KG) | | | | | | |
|---|--------------------------|---------------------|-------|-------|-------|-------|--------|------|
| | | <50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | >100 |
| | | PRESSURE IN BAR | | | | | | |
| FORCE XC² RACING LINE JET XC² RACING LINE WILD XC RACING LINE | 2.10 | 1.8 | 1.85 | 1.9 | 1.95 | 2 | 2.05 | 2.1 |
| | 2.25 | 1.8 | 1.85 | 1.9 | 1.95 | 2 | 2.05 | 2.1 |
| | 2.35 | 1.8 | 1.85 | 1.9 | 1.95 | 2 | 2.05 | 2.1 |
| WILD MUD COMPETITION LINE | 2.00 | 1.8 | 1.9 | 2 | 2.1 | 2.2 | 2.3 | 2.4 |
| FORCE XC² PERFORMANCE LINE WILD XC PERFORMANCE LINE | 2.10 | 1.8 | 1.85 | 1.9 | 1.95 | 2 | 2.05 | 2.1 |
| | 2.25 | 1.8 | 1.85 | 1.9 | 1.95 | 2 | 2.05 | 2.1 |
| | 2.35 | 1.8 | 1.85 | 1.9 | 1.95 | 2 | 2.05 | 2.1 |
| FORCE AM² & WILD AM² COMPETITION LINE | 2.40 | 1.5 | 1.6 | 1.7 | 1.8 | 1.9 | 2 | 2.1 |
| | 2.60 | 1.5 | 1.6 | 1.7 | 1.8 | 1.9 | 2 | 2.1 |
| E-WILD FRONT RACING LINE | 2.40 | 1.5 | 1.55 | 1.6 | 1.7 | 1.8 | 1.9 | 2.1 |
| | 2.60 | 1.5 | 1.55 | 1.6 | 1.65 | 1.7 | 1.8 | 2.1 |
| E-WILD REAR RACING LINE | 2.60 | 1.5 | 1.55 | 1.6 | 1.7 | 1.8 | 1.9 | 2.1 |
| E-WILD FRONT COMPETITION LINE | 2.60 | 1.5 | 1.55 | 1.65 | 1.75 | 1.85 | 1.95 | 1.95 |
| | 2.80 | 1.5 | 1.55 | 1.65 | 1.75 | 1.85 | 1.95 | 1.95 |
| E-WILD REAR COMPETITION LINE | 2.60 | 1.5 | 1.6 | 1.7 | 1.8 | 1.9 | 2 | 2.1 |
| | 2.80 | 1.5 | 1.6 | 1.7 | 1.8 | 1.9 | 2 | 2.1 |
| WILD ENDURO MH RACING LINE | 2.50 | 1.5 | 1.55 | 1.6 | 1.7 | 1.8 | 1.9 | 2.1 |
| WILD ENDURO MS RACING LINE | 2.40 | 1.5 | 1.55 | 1.6 | 1.7 | 1.8 | 1.9 | 2.1 |
| WILD ENDURO FRONT COMPETITION LINE MAGI-X2 & GUM-X3D | 2.40 | 1.5 | 1.55 | 1.65 | 1.75 | 1.85 | 1.95 | 2.05 |
| | 2.60 | 1.5 | 1.55 | 1.65 | 1.75 | 1.85 | 1.95 | 2.05 |
| | 2.80 | 1.5 | 1.55 | 1.6 | 1.65 | 1.70 | 1.75 | 1.8 |
| WILD ENDURO REAR RACING LINE | 2.40 | 1.5 | 1.55 | 1.6 | 1.7 | 1.8 | 1.9 | 2.1 |
| MUD ENDURO COMPETITION LINE | 2.25 | 1.8 | 1.85 | 1.9 | 1.95 | 2 | 2.05 | 2.1 |
| WILD MUD COMPETITION LINE | 2.00 | 1.8 | 1.9 | 2 | 2.1 | 2.2 | 2.3 | 2.4 |
| DH 16 RACING LINE, DH 22 RACING LINE | 2.40 | 1.5 | 1.55 | 1.6 | 1.7 | 1.8 | 1.9 | 2.1 |
| DH MUD RACING LINE | 2.30 | 1.5 | 1.55 | 1.6 | 1.7 | 1.8 | 1.9 | 2.1 |
| DH 34 RACING LINE | 2.40 | 1.5 | 1.6 | 1.7 | 1.8 | 1.9 | 2 | 2.1 |
| DH 34 BIKE PARK PERFORMANCE LINE | 2.40 | 1.5 | 1.7 | 1.9 | 2.1 | 2.3 | 2.5 | 2.7 |
| PILOT SLOPE COMPETITION LINE PILOT PUMP COMPETITION LINE PILOT FREESTYLE RACING LINE | 2.10 | 2.8 | 3 | 3.2 | 3.4 | 3.6 | 3.8 | 4 |
| | 2.25 | 2.8 | 3 | 3.2 | 3.4 | 3.6 | 3.8 | 4 |
| | 2.30 | 2.8 | 3 | 3.2 | 3.4 | 3.6 | 3.8 | 4 |
| PILOT SX RACING LINE PILOT SX SLICK RACING LINE | - | 3.6 | 3.8 | 4 | 4.2 | 4.4 | 4.6 | 4.8 |



TSS = TUBELESS PRESSURES
TC = TUBE PRESSURES

CITY

| Dimension (ETRT0 & inch) | Mounting rim ETRT0 (Min.-Max.) | PMax ² nominal rim | | PMax ² max. rim | | POptimum ³ TC - nominal rim | | | | | | | | POptimum ³ TC - max. rim | | | | | | | | | | | |
|--------------------------|--------------------------------|-------------------------------|--------|----------------------------|--------|--|--------|----------------|--------|---------------------|---------|---------|---------|-------------------------------------|----------|-------|------|---------------------|---------|---------|---------|----------|-------|--|--|
| | | TC (hooked) | | TSS (hookless) | | TC (hooked) | | TSS (hookless) | | Cyclist weight (kg) | | | | | | | | Cyclist weight (kg) | | | | | | | |
| | | b | P.S.I. | b | P.S.I. | b | P.S.I. | b | P.S.I. | < 50 | 51 > 60 | 61 > 70 | 71 > 80 | 81 > 90 | 91 > 100 | > 100 | < 50 | 51 > 60 | 61 > 70 | 71 > 80 | 81 > 90 | 91 > 100 | > 100 | | |

CITY STREET PERFORMANCE LINE

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|------------|-----|----|--------------------|-----|----|--------------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 37-622 (700x35C) | 23 (17-27) | 5.5 | 80 | | 5.1 | 74 | | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 | 5.2 | 75 | 5.3 | 77 | 5.4 | 78 | 5.5 | 80 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 |
| 40-622 (700x35C, 29x1.60) | 23 (17-27) | 5 | 73 | | 4.6 | 67 | | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 |
| 40-559 (26x1.60) | 23 (17-27) | 5 | 73 | | 4.6 | 67 | | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 |
| 50-622 (29x2.0) | 25 (17-30) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.5 | 51 | 3.6 | 52 | 3.7 | 53 | 3.8 | 55 | 3.8 | 56 | 3.9 | 57 | 4.0 | 58 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.4 | 50 | 3.5 | 51 | 3.6 | 52 |
| 55-622 (29x2.20) | 25 (17-30) | 3.5 | 51 | | 3.1 | 45 | | 3.2 | 46 | 3.3 | 47 | 3.3 | 48 | 3.4 | 49 | 3.4 | 49 | 3.5 | 50 | 3.5 | 51 | 2.8 | 41 | 2.9 | 41 | 2.9 | 42 | 3.0 | 43 | 3.0 | 44 | 3.1 | 44 | 3.1 | 45 |
| 55-584 (27.5x2.20) | 25 (17-30) | 3.5 | 51 | | 3.1 | 45 | | 3.2 | 46 | 3.3 | 47 | 3.3 | 48 | 3.4 | 49 | 3.4 | 49 | 3.5 | 50 | 3.5 | 51 | 2.8 | 41 | 2.9 | 41 | 2.9 | 42 | 3.0 | 43 | 3.0 | 44 | 3.1 | 44 | 3.1 | 45 |
| 60-622 (29x2.40) | 30 (21-35) | 3 | 44 | | 2.6 | 38 | | 2.8 | 41 | 2.9 | 41 | 2.9 | 42 | 2.9 | 42 | 2.9 | 43 | 3.0 | 43 | 3.0 | 44 | 2.4 | 35 | 2.5 | 36 | 2.5 | 36 | 2.5 | 36 | 2.5 | 37 | 2.6 | 37 | 2.6 | 38 |
| 60-584 (27.5x2.40) | 30 (21-35) | 3 | 44 | | 2.6 | 38 | | 2.8 | 41 | 2.9 | 41 | 2.9 | 42 | 2.9 | 42 | 2.9 | 43 | 3.0 | 43 | 3.0 | 44 | 2.4 | 35 | 2.5 | 36 | 2.5 | 36 | 2.5 | 36 | 2.5 | 37 | 2.6 | 37 | 2.6 | 38 |

CITY STREET FB COMPETITION LINE

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|------------|-----|----|--------------------|-----|----|--------------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 55-584 (27.5x2.20) 40B | 25 (17-30) | 4.5 | 65 | | 4.1 | 59 | | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 |
| 60-584 (27.5x2.40) 44B | 30 (21-35) | 4.5 | 65 | | 4.1 | 59 | | 3.6 | 52 | 3.8 | 54 | 3.9 | 57 | 4.1 | 59 | 4.2 | 61 | 4.4 | 63 | 4.5 | 65 | 3.2 | 46 | 3.4 | 49 | 3.5 | 51 | 3.7 | 53 | 3.8 | 55 | 4.0 | 57 | 4.1 | 59 |
| 37-622 (700x35C) 26B | 23 (17-27) | 5.5 | 80 | | 5.1 | 74 | | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 | 5.2 | 75 | 5.3 | 77 | 5.4 | 78 | 5.5 | 80 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 |
| 40-622 (29x1.60) 30B | 23 (17-27) | 5 | 73 | NOT TSS COMPATIBLE | 4.6 | 67 | NOT TSS COMPATIBLE | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 |
| 50-622 (29x2.00) 41B | 25 (17-30) | 5 | 73 | | 4.6 | 67 | | 3.8 | 55 | 4.0 | 58 | 4.2 | 61 | 4.4 | 64 | 4.6 | 67 | 4.8 | 70 | 5.0 | 73 | 3.4 | 49 | 3.6 | 52 | 3.8 | 55 | 4.0 | 58 | 4.2 | 61 | 4.4 | 64 | 4.6 | 67 |
| 55-622 (29x2.20) 42B | 25 (17-30) | 4.5 | 65 | | 4.1 | 59 | | 3.2 | 46 | 3.4 | 49 | 3.6 | 53 | 3.8 | 56 | 4.1 | 59 | 4.3 | 62 | 4.5 | 65 | 2.8 | 40 | 3.0 | 44 | 3.2 | 47 | 3.4 | 50 | 3.7 | 53 | 3.9 | 56 | 4.1 | 59 |
| 60-622 (29x2.40) 45B | 30 (21-35) | 4.5 | 65 | | 4.1 | 59 | | 3.0 | 44 | 3.3 | 47 | 3.5 | 51 | 3.8 | 54 | 4.0 | 58 | 4.3 | 62 | 4.5 | 65 | 2.6 | 38 | 2.9 | 41 | 3.1 | 45 | 3.4 | 49 | 3.6 | 52 | 3.9 | 56 | 4.1 | 59 |

CITY TOURING PERFORMANCE LINE

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|------------|-----|----|--------------------|-----|----|--------------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 37-622 (700x35C) | 23 (17-27) | 5.5 | 80 | | 5.1 | 74 | | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 | 5.2 | 75 | 5.3 | 77 | 5.4 | 78 | 5.5 | 80 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 |
| 42-622 (700x40C) | 23 (17-27) | 5 | 73 | | 4.6 | 67 | | 4.3 | 63 | 4.5 | 65 | 4.6 | 66 | 4.7 | 68 | 4.8 | 69 | 4.9 | 71 | 5.0 | 73 | 3.9 | 57 | 4.1 | 59 | 4.2 | 60 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 |
| 47-622 (700x47C) | 25 (17-30) | 4.5 | 65 | | 4.1 | 59 | | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 |
| 50-559 (26x2.0) | 25 (17-30) | 4 | 58 | | 3.6 | 52 | | 3.5 | 51 | 3.6 | 52 | 3.7 | 53 | 3.8 | 55 | 3.8 | 56 | 3.9 | 57 | 4.0 | 58 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.4 | 50 | 3.5 | 51 | 3.6 | 52 |
| 50-622 (29x2.0) | 25 (17-30) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.5 | 51 | 3.6 | 52 | 3.7 | 53 | 3.8 | 55 | 3.8 | 56 | 3.9 | 57 | 4.0 | 58 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.4 | 50 | 3.5 | 51 | 3.6 | 52 |
| 55-559 (26x2.20) | 25 (17-30) | 3.5 | 51 | | 3.1 | 45 | | 3.2 | 46 | 3.3 | 47 | 3.3 | 48 | 3.4 | 49 | 3.4 | 49 | 3.5 | 50 | 3.5 | 51 | 2.8 | 41 | 2.9 | 41 | 2.9 | 42 | 3.0 | 43 | 3.0 | 44 | 3.1 | 44 | 3.1 | 45 |
| 55-584 (27.5x2.20) | 25 (17-30) | 3.5 | 51 | | 3.1 | 45 | | 3.2 | 46 | 3.3 | 47 | 3.3 | 48 | 3.4 | 49 | 3.4 | 49 | 3.5 | 50 | 3.5 | 51 | 2.8 | 41 | 2.9 | 41 | 2.9 | 42 | 3.0 | 43 | 3.0 | 44 | 3.1 | 44 | 3.1 | 45 |
| 55-622 (29x2.20) | 25 (17-30) | 3.5 | 51 | | 3.1 | 45 | | 3.2 | 46 | 3.3 | 47 | 3.3 | 48 | 3.4 | 49 | 3.4 | 49 | 3.5 | 50 | 3.5 | 51 | 2.8 | 41 | 2.9 | 41 | 2.9 | 42 | 3.0 | 43 | 3.0 | 44 | 3.1 | 44 | 3.1 | 45 |
| 60-584 (27.5x2.40) | 30 (21-35) | 3 | 44 | | 2.6 | 38 | | 2.8 | 41 | 2.9 | 41 | 2.9 | 42 | 2.9 | 42 | 2.9 | 43 | 3.0 | 43 | 3.0 | 44 | 2.4 | 35 | 2.5 | 36 | 2.5 | 36 | 2.5 | 36 | 2.5 | 37 | 2.6 | 37 | 2.6 | 38 |
| 60-622 (29x2.40) | 30 (21-35) | 3 | 44 | | 2.6 | 38 | | 2.8 | 41 | 2.9 | 41 | 2.9 | 42 | 2.9 | 42 | 2.9 | 43 | 3.0 | 43 | 3.0 | 44 | 2.4 | 35 | 2.5 | 36 | 2.5 | 36 | 2.5 | 36 | 2.5 | 37 | 2.6 | 37 | 2.6 | 38 |

STARGRIP

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|------------|-----|----|--------------------|-----|----|--------------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 37-622 (700x35C) | 23 (17-27) | 5.5 | 80 | NOT TSS COMPATIBLE | 5.1 | 74 | NOT TSS COMPATIBLE | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 | 5.2 | 75 | 5.3 | 77 | 5.4 | 78 | 5.5 | 80 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 |
| 42-622 (700x40C) | 23 (17-27) | 5 | 73 | NOT TSS COMPATIBLE | 4.6 | 67 | NOT TSS COMPATIBLE | 4.3 | 63 | 4.5 | 65 | 4.6 | 66 | 4.7 | 68 | 4.8 | 69 | 4.9 | 71 | 5.0 | 73 | 3.9 | 57 | 4.1 | 59 | 4.2 | 60 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 |

ENERGY

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|------------|-----|----|--------------------|-----|----|--------------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 37-622 (700x35C) | 23 (17-27) | 5.5 | 80 | NOT TSS COMPATIBLE | 5.1 | 74 | NOT TSS COMPATIBLE | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 | 5.2 | 75 | 5.3 | 77 | 5.4 | 78 | 5.5 | 80 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 |
|------------------|------------|-----|----|--------------------|-----|----|--------------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|

PROTEK CROSS MAX

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|------------|-----|----|--------------------|-----|----|--------------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 32-622 (700x32C) | 21 (16-25) | 6 | 87 | | 5.6 | 81 | | 5.1 | 74 | 5.3 | 76 | 5.4 | 78 | 5.6 | 80 | 5.7 | 83 | 5.9 | 85 | 6.0 | 87 | 4.7 | 68 | 4.9 | 70 | 5.0 | 73 | 5.2 | 75 | 5.3 | 77 | 5.5 | 79 | 5.6 | 81 |
| 37-622 (700x35C) | 23 (17-27) | 5.5 | 80 | | 5.1 | 74 | | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 | 5.2 | 75 | 5.3 | 77 | 5.4 | 78 | 5.5 | 80 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 |
| 40-559 (26x1.60) | 23 (17-27) | 5 | 73 | NOT TSS COMPATIBLE | 4.6 | 67 | NOT TSS COMPATIBLE | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 |
| 42-622 (700x40C) | 23 (17-27) | 5 | 73 | | 4.6 | 67 | | 4.3 | 63 | 4.5 | 65 | 4.6 | 66 | 4.7 | 68 | 4.8 | 69 | 4.9 | 71 | 5.0 | 73 | 3.9 | 57 | 4.1 | 59 | 4.2 | 60 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 |
| 47-559 (26x1.85) | 25 (17-30) | 5 | 73 | | 4.6 | 67 | | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 |
| 47-622 (700x47C) | 25 (17-30) | 4.5 | 65 | | 4.1 | 59 | | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 |

PROTEK MAX

TSS = TUBELESS PRESSURES
TC = TUBE PRESSURES

CITY

| Dimension (ETRT0 & inch) | Mounting rim ETRTO (Min. - Max.) | PMax ² nominal rim | | PMax ² max. rim | | POptimum ³ TC - nominal rim | | | | | | | | POptimum ³ TC - max. rim | | | | | | | | | | | |
|--------------------------|----------------------------------|-------------------------------|--------|----------------------------|--------|--|--------|----------------|--------|---------------------|---------|---------|---------|-------------------------------------|----------|-------|------|---------------------|---------|---------|---------|----------|-------|--|--|
| | | TC (hooked) | | TSS (hookless) | | TC (hooked) | | TSS (hookless) | | Cyclist weight (kg) | | | | | | | | Cyclist weight (kg) | | | | | | | |
| | | b | P.S.I. | b | P.S.I. | b | P.S.I. | b | P.S.I. | < 50 | 51 > 60 | 61 > 70 | 71 > 80 | 81 > 90 | 91 > 100 | > 100 | < 50 | 51 > 60 | 61 > 70 | 71 > 80 | 81 > 90 | 91 > 100 | > 100 | | |

WILD RUN'R

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|------------|---|----|--------------------|-----|----|--------------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 35-559 (26x1.40) | 23 (17-27) | 5 | 73 | NOT TSS COMPATIBLE | 4.6 | 67 | NOT TSS COMPATIBLE | 4.5 | 66 | 4.6 | 67 | 4.7 | 68 | 4.8 | 69 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 4.1 | 60 | 4.2 | 61 | 4.3 | 62 | 4.4 | 63 | 4.4 | 64 | 4.5 | 66 | 4.6 | 67 |
| 27.5x1.40 (35-584) | 23 (17-27) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.7 | 54 | 3.8 | 54 | 3.8 | 55 | 3.9 | 56 | 3.9 | 57 | 4.0 | 57 | 4.0 | 58 | 3.3 | 48 | 3.4 | 49 | 3.4 | 49 | 3.5 | 50 | 3.5 | 51 | 3.6 | 51 | 3.6 | 52 |
| 35-622 (700x35C, 29x1.40) | 23 (17-27) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.5 | 51 | 3.6 | 52 | 3.7 | 53 | 3.8 | 55 | 3.8 | 56 | 3.9 | 57 | 4.0 | 58 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.4 | 50 | 3.5 | 51 | 3.6 | 52 |

COUNTRY'J

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|------------|---|----|--------------------|-----|----|--------------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 44-305 (16x1.75) | 23 (17-27) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 3.0 | 44 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 |
| 44-507 (24x1.75) | 23 (17-27) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 3.0 | 44 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 |
| 47-406 (20x1.75) | 25 (17-30) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 3.0 | 44 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 |

PROTEK

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|------------|-----|----|--------------------|-----|----|--------------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 28-622 (700x28C) | 19 (15-23) | 6.5 | 94 | NOT TSS COMPATIBLE | 6.1 | 88 | NOT TSS COMPATIBLE | 6.0 | 87 | 6.1 | 88 | 6.2 | 90 | 6.3 | 91 | 6.3 | 92 | 6.4 | 93 | 6.5 | 94 | 5.6 | 82 | 5.7 | 83 | 5.8 | 84 | 5.9 | 85 | 5.9 | 86 | 6.0 | 87 | 6.1 | 88 |
| 32-622 (700x32C) | 21 (16-25) | 6 | 87 | NOT TSS COMPATIBLE | 5.6 | 81 | NOT TSS COMPATIBLE | 5.1 | 74 | 5.3 | 76 | 5.4 | 78 | 5.6 | 80 | 5.7 | 83 | 5.9 | 85 | 6.0 | 87 | 4.7 | 68 | 4.9 | 70 | 5.0 | 73 | 5.2 | 75 | 5.3 | 77 | 5.5 | 79 | 5.6 | 81 |
| 32-630 (27x1 1/4) | 21 (16-25) | 6 | 87 | NOT TSS COMPATIBLE | 5.6 | 81 | NOT TSS COMPATIBLE | 5.1 | 74 | 5.3 | 76 | 5.4 | 78 | 5.6 | 80 | 5.7 | 83 | 5.9 | 85 | 6.0 | 87 | 4.7 | 68 | 4.9 | 70 | 5.0 | 73 | 5.2 | 75 | 5.3 | 77 | 5.5 | 79 | 5.6 | 81 |
| 35-559 (26x1.40) | 23 (17-27) | 5 | 73 | NOT TSS COMPATIBLE | 4.6 | 67 | NOT TSS COMPATIBLE | 4.5 | 66 | 4.6 | 67 | 4.7 | 68 | 4.8 | 69 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 4.1 | 60 | 4.2 | 61 | 4.3 | 62 | 4.4 | 63 | 4.4 | 64 | 4.5 | 66 | 4.6 | 67 |
| 37-406 (20x1.50) | 23 (17-27) | 5 | 73 | NOT TSS COMPATIBLE | 4.6 | 67 | NOT TSS COMPATIBLE | 4.5 | 66 | 4.6 | 67 | 4.7 | 68 | 4.8 | 69 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 4.1 | 60 | 4.2 | 61 | 4.3 | 62 | 4.4 | 63 | 4.4 | 64 | 4.5 | 66 | 4.6 | 67 |
| 37-622 (700x35C) | 23 (17-27) | 5.5 | 80 | NOT TSS COMPATIBLE | 5.1 | 74 | NOT TSS COMPATIBLE | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 | 5.2 | 75 | 5.3 | 77 | 5.4 | 78 | 5.5 | 80 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 |
| 40-622 (700x38C, 29x1.60) | 23 (17-27) | 5 | 73 | NOT TSS COMPATIBLE | 4.6 | 67 | NOT TSS COMPATIBLE | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 |
| 42-622 (700x40C) | 23 (17-27) | 5 | 73 | NOT TSS COMPATIBLE | 4.6 | 67 | NOT TSS COMPATIBLE | 4.3 | 63 | 4.5 | 65 | 4.6 | 66 | 4.7 | 68 | 4.8 | 69 | 4.9 | 71 | 5.0 | 73 | 3.9 | 57 | 4.1 | 59 | 4.2 | 60 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 |
| 47-559 (26x1.85) | 25 (17-30) | 5 | 73 | NOT TSS COMPATIBLE | 4.6 | 67 | NOT TSS COMPATIBLE | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 |
| 47-622 (700x47C) | 25 (17-30) | 4.5 | 65 | NOT TSS COMPATIBLE | 4.1 | 59 | NOT TSS COMPATIBLE | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 | 6.4 | 64 | 4.5 | 65 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 |

PROTEK CROSS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|------------|-----|----|--------------------|-----|----|--------------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 32-622 (700x32C) | 21 (16-25) | 6 | 87 | NOT TSS COMPATIBLE | 5.6 | 81 | NOT TSS COMPATIBLE | 5.1 | 74 | 5.3 | 76 | 5.4 | 78 | 5.6 | 80 | 5.7 | 83 | 5.9 | 85 | 6.0 | 87 | 4.7 | 68 | 4.9 | 70 | 5.0 | 73 | 5.2 | 75 | 5.3 | 77 | 5.5 | 79 | 5.6 | 81 |
| 37-622 (700x35C) | 23 (17-27) | 5.5 | 80 | NOT TSS COMPATIBLE | 5.1 | 74 | NOT TSS COMPATIBLE | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 | 5.2 | 75 | 5.3 | 77 | 5.4 | 78 | 5.5 | 80 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 5.1 | 74 |
| 40-559 (26x1.60) | 23 (17-27) | 5 | 73 | NOT TSS COMPATIBLE | 4.6 | 67 | NOT TSS COMPATIBLE | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 |
| 42-622 (700x40C) | 23 (17-27) | 5 | 73 | NOT TSS COMPATIBLE | 4.6 | 67 | NOT TSS COMPATIBLE | 4.3 | 63 | 4.5 | 65 | 4.6 | 66 | 4.7 | 68 | 4.8 | 69 | 4.9 | 71 | 5.0 | 73 | 3.9 | 57 | 4.1 | 59 | 4.2 | 60 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 |
| 47-559 (26x1.85) | 25 (17-30) | 5 | 73 | NOT TSS COMPATIBLE | 4.6 | 67 | NOT TSS COMPATIBLE | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 | 4.7 | 68 | 4.8 | 70 | 4.9 | 71 | 5.0 | 73 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 | 4.4 | 64 | 4.5 | 65 | 4.6 | 67 |
| 47-622 (700x47C) | 25 (17-30) | 4.5 | 65 | NOT TSS COMPATIBLE | 4.1 | 59 | NOT TSS COMPATIBLE | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 | 4.2 | 61 | 4.3 | 62 | 6.4 | 64 | 4.5 | 65 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 4.1 | 59 |

CITY'J

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|------------|---|----|--------------------|-----|----|--------------------|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|
| 32-540 (24x1 3/8x1 1/4) | 21 (16-25) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.1 | 45 | 3.3 | 47 | 3.4 | 49 | 3.6 | 51 | 3.7 | 54 | 3.9 | 56 | 4.0 | 58 | 2.7 | 39 | 2.9 | 41 | 3.0 | 44 | 3.2 | 46 | 3.3 | 48 | 3.5 | 50 | 3.6 | 52 |
| 37-288 (14x1 3/8x1 5/8) | 23 (17-27) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.5 | 51 | 3.6 | 52 | 3.7 | 53 | 3.8 | 55 | 3.8 | 56 | 3.9 | 57 | 4.0 | 58 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.4 | 50 | 3.5 | 51 | 3.6 | 52 |
| 37-340 (400A CONFORT) | 23 (17-27) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.5 | 51 | 3.6 | 52 | 3.7 | 53 | 3.8 | 55 | 3.8 | 56 | 3.9 | 57 | 4.0 | 58 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.4 | 50 | 3.5 | 51 | 3.6 | 52 |
| 37-390 (450A CONFORT) | 23 (17-27) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.5 | 51 | 3.6 | 52 | 3.7 | 53 | 3.8 | 55 | 3.8 | 56 | 3.9 | 57 | 4.0 | 58 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.4 | 50 | 3.5 | 51 | 3.6 | 52 |
| 37-440 (500A CONFORT) | 23 (17-27) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.5 | 51 | 3.6 | 52 | 3.7 | 53 | 3.8 | 55 | 3.8 | 56 | 3.9 | 57 | 4.0 | 58 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.4 | 50 | 3.5 | 51 | 3.6 | 52 |
| 37-451 (20x1 3/8) | 23 (17-27) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.5 | 51 | 3.6 | 52 | 3.7 | 53 | 3.8 | 55 | 3.8 | 56 | 3.9 | 57 | 4.0 | 58 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.4 | 50 | 3.5 | 51 | 3.6 | 52 |
| 37-490 (550A CONFORT) | 23 (17-27) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.5 | 51 | 3.6 | 52 | 3.7 | 53 | 3.8 | 55 | 3.8 | 56 | 3.9 | 57 | 4.0 | 58 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.4 | 50 | 3.5 | 51 | 3.6 | 52 |
| 37-541 (600A CONFORT) | 23 (17-27) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.5 | 51 | 3.6 | 52 | 3.7 | 53 | 3.8 | 55 | 3.8 | 56 | 3.9 | 57 | 4.0 | 58 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.4 | 50 | 3.5 | 51 | 3.6 | 52 |
| 44-406 (20x1.75) | 23 (17-27) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 3.0 | 44 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 |
| 44-507 (24x1.75) | 23 (17-27) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 3.0 | 44 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 |
| 47-203 (12x1/2x1.75x2 1/4) | 25 (17-30) | 4 | 58 | NOT TSS COMPATIBLE | 3.6 | 52 | NOT TSS COMPATIBLE | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 | 3.7 | 54 | 3.8 | 55 | 3.9 | 57 | 4.0 | 58 | 3.0 | 44 | 3.1 | 45 | 3.2 | 46 | 3.3 | 48 | 3.4 | 49 | 3.5 | 51 | 3.6 | 52 |

WORLD TOUR

| | | | | | | | | |
|---------------------------|------------|---|----|--------------------|-----|----|--------------------|-------|
| 35-584 (650x35B 26x1 1/2) | 23 (17-27) | 5 | 73 | NOT TSS COMPATIBLE | 4.6 | 67 | NOT TSS COMPATIBLE | 4.7</ |
|---------------------------|------------|---|----|--------------------|-----|----|--------------------|-------|